



REVISION
REV A: Revised Following Architect Review/On Site Meeting 12/1/09
REV B: Revised Following Architect Review ISSUED FOR CONSTRUCTION 30/1/09

GLASS TYPE
GLS-01: CLEAR TO CODE
GLS-02: 24mm DGU, 6mm BLUE LOW 'e' + 12mm Ar + 6mm CLEAR TOUGH U VALUE: 1.8 SHADING COEFFICIENT: 0.48
GLS-03: 24mm DGU, 6mm CLEAR LOW 'e' + 12mm Ar + 6mm CLEAR TOUGH U VALUE: 1.8 SHADING COEFFICIENT: 0.42
GLS-04: 6mm TOUGHENED COLOURGLAD SPANDREL COLOUR: TEC
GLS-05: SHADOW BOX POWDERCOATED SHEET COLOUR: TEC 24mm DGU, 6mm CLEAR LOW 'e' + 12mm Ar + 6mm CLEAR TOUGH (GLS-03) U VALUE: 1.8 SHADING COEFFICIENT: 0.42

NOTES:
OS: OPENING SIZE
MS: MAKE SIZE
DL: DARK LIGHT
T.B.C: Size To Be Confirmed On Site
opp: OPPOSITE HAND



BUILDER <b>ICON CONSTRUCTION</b>
ARCHITECT <b>Clarke Hopkins Clark</b>

DESCRIPTION <b>External Window/Door Schedule</b>
PROJECT <b>373 King Street Melbourne</b>

DRAWING NO. <b>1999-001</b>		
DRAWN BY Y.Y	CHECKED BY C.D	DATE 05/10/09
SCALE 1:50 @ A1	REVISION	